

侧固式刀柄系列

End Mill Holder Series



- 锥柄规格BT/SK (DIN69871) /CAT/NMTB/HSK/NT /MT/R8
- 孔径公差H5
- 刚性夹持，用于重切削
- 侧固式刀柄被用作刀具的工具刀柄
- 装入刀具时，刀具的槽口平面部分与刀柄的侧固螺钉封齐，强力锁定
- 在订购刀柄时需注明刀柄本体的冷却形式：
A型、AD型、AD+B型
- 标准动平衡G6.3/15000rpm

- Type for BT/SK/CAT/NMTB/HSK/NT /MT/R8 shank
- Aperture tolerance:H5
- Used for remachining with rigidly grip
- End mill chuck used to be the holder of cutting tools
- When attaching,cutting tools,with strong side aligned lock between the plane of the part and notch solid screws
- When ordering,please specify the form: Form A、Form AD、 Form AD+B
- 100% balanced to G6.3/15000rpm







BT/SLN侧固式铣刀杆

▼A311010-A313310 订单号Order NO.

BT SLN END MILL ADAPTERS

▼可选配 OPTIONAL



Unit:mm

Order NO.	Type	d1	L1	L	L2	L3	D	d2	T	N.W. kg	Price
A311010	BT30×SLN6-75	6	75	123.4	18	-	46	25	M6×1.0P	0.6	
A311110	BT30×SLN8-75	8	75	123.4	18			28	M8×1.25P	0.65	
A311210	BT30×SLN10-75	10	75	123.4	20			35	M10×1.5P	0.7	
A311310	BT30×SLN12-75	12	75	123.4	22.5			42	M12×1.75P	0.75	
A311410	BT30×SLN16-75	16	75	123.4	24			48	M14×2.0P	1.05	
A311510	BT30×SLN20-75	20	75	123.4	25			52	M16×2.0P	1.15	
A311610	BT30×SLN25-75	25	75	123.4	24	25		65	M18×2.0P	1.36	
A311611	BT30×SLN25-90	25	90	138.4	24	25		65	M18×2.0P	1.5	
A311710	BT40×SLN6-50	6	50	115.4	18	-	63	25	M6×1.0P	1.1	
A311711	BT40×SLN6-150	6	150	215.4	18			25	M6×1.0P	1.32	
A311810	BT40×SLN8-63	8	50	115.4	18			28	M8×1.25P	1.1	
A311910	BT40×SLN10-63	10	63	128.4	20			35	M10×1.8P	1.25	
A312010	BT40×SLN12-63	12	63	128.4	22.5			42	M12×1.75P	1.3	
A312110	BT40×SLN16-63	16	63	128.4	24			48	M14×2.0P	1.4	
A312111	BT40×SLN16-150	16	150	215.4	24			48	M14×2.0P	1.6	
A312210	BT40×SLN20-63	20	63	128.4	25			52	M16×2.0P	1.4	
A312310	BT40×SLN25-90	25	90	155.4	24	25		65	M18×2.0P	2	
A312311	BT40×SLN32-100	32	100	165.4	24	28		72	M20×2.0P	2.2	
A312410	BT50×SLN6-63	6	63	164.8	18	-	100	25	M6×1.0P	3.8	
A312510	BT50×SLN8-63	8	63	164.8	18			28	M8×1.250P	3.8	
A312610	BT50×SLN10-70	10	70	164.8	20			35	M10×1.5P	3.8	
A312710	BT50×SLN12-80	12	80	181.8	22.5			42	M12×1.75P	4	
A312810	BT50×SLN16-80	16	80	181.8	24			48	M14×2.0P	4.4	
A312910	BT50×SLN20-80	20	80	181.8	25			52	M16×2.0P	4.4	
A313010	BT50×SLN25-105	25	105	201.8	24	25		65	M18×2.0P		
A313110	BT50×SLN32-105	32	105	206.8	24	28		72	M20×2.0P		
A313210	BT50×SLN40-115	40	115	216.8	30	32		90	M20×2.0P	6.6	
A313310	BT50×SLN42-120	42	120	221.8	30	32		90	M20×2.0P	6.7	







BT/SLN侧固式铣刀杆

▼ 可选配 OPTIONAL



▼ A321010-A322610 订单号 Order NO.

BT SLN END MILL ADAPTERS



$d1 \leq 3/4"$



$d1 \geq 7/8"$

Unit:in

Order NO.	Type	d1	L1	L	L2	L3	D	d2	T	Price
A321010	BT30-EM1/8"-2.38"	1/8"	2.38"	4.286"	0.38"		1.81"	0.75"	3/16"-24	
A321110	BT30-EM3/16"-2.38"	3/16"	2.38"	4.286"	0.38"			0.75"	3/16"-24	
A321210	BT30-EM1/4"-2.38"	1/4"	2.38"	4.286"	0.5"			0.81"	1/4"-20	
A321310	BT30-EM3/8"-2.38"	3/8"	2.38"	4.286"	0.75"			1.38"	3/8"-16	
A321410	BT30-EM1/2"-2.38"	1/2"	2.38"	4.286"	0.88"			1.38"	7/16"-14	
A321510	BT30-EM5/8"-2.38"	5/8"	2.38"	4.286"	0.94"			1.44"	1/2"-13	
A321610	BT30-EM3/4"-2.38"	3/4"	2.38"	4.286"	1"			1.75"	5/8"-11	
A321710	BT30-EM1"-2.75"	1"	2.75"	4.656"	1.12"			2.38"	3/4"-10	
A321810	BT40-EM3/8"-1.38"	3/8"	1.38"	3.955"	0.75"		2.48"	1"	3/8"-16	
A321811	BT40-EM3/8"-2.5"	3/8"	2.5"	5.075"	0.75"			1"	3/8"-16	
A321812	BT40-EM3/8"-4.00"	3/8"	4"	6.575"	0.75"			1"	3/8"-16	
A321910	BT40-EM7/16"-2.62"	7/16"	2.62"	5.195"	0.75"			1.25"	3/8"-16	
A322010	BT40-EM1/2"-1.75"	1/2"	1.75"	4.325"	0.88"			1.25"	7/16"-14	
A322011	BT40-EM1/2"-2.625"	1/2"	2.625"	5.2"	0.88"			1.25"	7/16"-14	
A322012	BT40-EM1/2"-4.00"	1/2"	4"	6.575"	0.88"			1.25"	7/16"-14	
A322110	BT40-EM5/8"-1.75"	5/8"	1.75"	4.325"	0.88"			1.5"	1/2"-13	
A322111	BT40-EM5/8"-3.75"	5/8"	3.75"	6.325"	0.88"			1.5"	1/2"-13	
A322112	BT40-EM5/8"-6.00"	5/8"	6"	8.575"	0.88"			1.5"	1/2"-13	
A322210	BT40-EM3/4"-1.75"	3/4"	1.75"	4.325"	1"			1.75"	5/8"-11	
A322211	BT40-EM3/4"-3.38"	3/4"	3.75"	6.325"	1"			1.75"	5/8"-11	
A322212	BT40-EM3/4"-6.00"	3/4"	6"	8.575"	1"			1.75"	5/8"-11	
A322310	BT40-EM7/8"-3.75"	7/8"	3.75"	6.325"	1"	0.88"		1.88"	5/8"-11	
A322410	BT40-EM1"-1.75"	1"	1.75"	4.325"	1.12"	—		2"	5/8"-11	
A322411	BT40-EM1"-4.00"	1"	4"	6.575"	1.12"	1"		2"	3/4"-10	
A322412	BT40-EM1"-6.00"	1"	6"	8.575"	1.12"	1"		2"	3/4"-10	
A322510	BT40-EM1-1/4"-2.00"	1-1/4"	2"	4.575"	1.12"	—		2.362"	5/8"-11	
A322511	BT40-EM1-1/4"-4.00"	1-1/4"	4"	6.575"	1.12"	1.12"		2.362"	3/4"-10	
A322610	BT40-EM1-1/2"-4.00"	1-1/2"	4"	6.575"	1.12"	1"		2.62"	3/4"-10	








BT/SLN侧固式铣刀杆-出水结构

▼ 可选配 OPTIONAL



▼ A331010-A332910 订单号 Order NO.

BT/SLN END MILL ADAPTERS WITH COOLANT



Order NO.	Type	$\Phi d1$	ΦD	L1	Fig	Price
A331010	BT40-SLN06-50(B)	06	25	50	1	
A331110	BT40-SLN08-50(B)	08	28	50	1	
A331210	BT40-SLN10-63(B)	10	35	63	1	
A331310	BT40-SLN12-63(B)	12	42	63	1	
A331410	BT40-SLN14-63(B)	14	44	63	1	
A331510	BT40-SLN16-63(B)	16	48	63	1	
A331610	BT40-SLN18-63(B)	18	50	63	1	
A331710	BT40-SLN20-63(B)	20	52	63	1	
A331810	BT40-SLN25-90(B)	25	65	90	2	
A331910	BT40-SLN32-100(B)	32	72	100	2	
A332010	BT50-SLN06-50(B)	06	25	50	1	
A332110	BT50-SLN08-50(B)	08	28	50	1	
A332210	BT50-SLN10-63(B)	10	35	63	1	
A332310	BT50-SLN12-63(B)	12	42	63	1	
A332410	BT50-SLN14-63(B)	14	44	63	1	
A332510	BT50-SLN16-63(B)	16	48	63	1	
A332610	BT50-SLN18-63(B)	18	50	63	1	
A332710	BT50-SLN20-63(B)	20	52	63	1	
A332810	BT50-SLN25-90(B)	25	65	90	2	
A332910	BT50-SLN32-105(B)	32	72	105	2	





CAT/SLN 侧固式刀杆

▼A341010-A342211 订单号Order NO.

CAT/SLN END MILL HOLDER

▼可选配 OPTIONAL




Type:A



●专利设计, 锁紧力大,
稳定性高, 夹持范围更广,
适用于各种柄



Type:B



Draw Bar Thread:
CAT40 5/8"-11
CAT50 1"-8

Order NO.	Type	L	L1	L2	L3	d1	d2	T	Price
A341010	CAT40-SLN1/8"-2.31"	4.997	2.31	0.37	—	1/8	0.79	3/16-24	
A341011	CAT40-SLN1/8"-4.72"	7.407	4.72	0.370		1/8	0.787	3/16-24	
A341110	CAT40-SLN3/16"-2.31"	4.997	2.31	0.562		3/16	0.984	1/4-20	
A341111	CAT40-SLN3/16"-2.50"	5.187	2.50	0.562		3/16	0.984	1/4-20	
A341112	CAT40-SLN3/16"-4.72"	7.407	4.72	0.562		3/16	0.984	1/4-20	
A341210	CAT40-SLN1/4"-2.50"	5.187	2.50	0.630		1/4	1.38	1/4-20	
A341211	CAT40×SLN1/4"-3.00"	5.687	3.00	0.63		1/4	1.38	1/4-20	
A341310	CAT40-SLN5/16"-2.50"	5.187	2.50	0.630		5/16	1.38	5/16-18	
A341311	CAT40×SLN5/16"-3.00"	5.687	3.00	0.63		5/16	1.38	5/16-18	
A341312	CAT40-SLN5/16"-4.72"	7.407	4.72	0.630		5/16	1.38	5/16-18	
A341410	CAT40-SLN3/8"-2.50"	5.187	2.50	0.750		3/8	1.535	3/8-16	
A341411	CAT40×SLN3/8"-3.00"	5.687	3.00	0.75		3/8	1.535	3/8-16	
A341510	CAT40-SLN1/2"-2.50"	5.187	2.50	0.875		1/2	1.75	7/16-14	
A341511	CAT40-SLN1/2"-2.62"	5.307	2.62	0.875		1/2	1.75	7/16-14	
A341512	CAT40×SLN1/2"-3.00"	5.687	3.00	0.875		1/2	1.75	7/16-14	
A341710	CAT40-SLN9/16"-3.00"	5.687	3.00	0.875		9/16	1.75	7/16-14	
A341810	CAT40×SLN5/8"-3.00"	5.687	3.00	0.937		5/8	1.85	1/2-13	
A341811	CAT40-SLN5/8"-3.75"	6.437	3.75	0.937		5/8	1.85	1/2-13	
A341910	CAT40-SLN3/4"-3.00"	5.687	3.00	1.000		3/4	1.929	5/8-11	
A341911	CAT40×SLN3/4"-3.50"	6.187	3.50	1		3/4	1.929	5/8-11	
A341912	CAT40-SLN3/4-3.75	6.437	3.75	1.000		3/4	1.929	5/8-11	
A342010	CAT40×SLN7/8"-3.50"	6.187	3.50	1.063	1	7/8	2.36	5/8-11	
A342110	CAT40×SLN1"-4.00"	6.687	4.00	1.125		1	2.56	3/4-10	
A342210	CAT40-SLN1-1/4"-4.25"	6.937	4.25	1.125		1-1/4	2.56	3/4-10	
A342211	CAT40×SLN1-1/4"-4.60"	7.287	4.60	1.125		1-1/4	2.56	3/4-10	





CAT/SLN 侧固式刀杆

▼A342310-A343811 订单号Order NO.

CAT/SLN END MILL HOLDER

▼可选配 OPTIONAL




Type:A



●专利设计, 锁紧力大,
稳定性高, 夹持范围更广,
适用于各种柄



Type:B



Draw Bar Thread:
CAT40 5/8"-11
CAT50 1"-8

Order NO.	Type	L	L1	L2	L3	d1	d2	T	Price
A342310	CAT50-SLN1/8"-4.00"	8.00	4.00	0.563	—	1/8	0.75	3/16-24	
A342410	CAT50-SLN3/16"-4.00"	8.00	4.00	0.563		3/16	0.75	1/4-20	
A342510	CAT50-SLN1/4"-2.50"	6.50	2.50	0.781		1/4	0.8125	1/4-20	
A342511	CAT50×SLN1/4"-4.00"	8.00	4.00	0.781		1/4	0.8125	1/4-20	
A342610	CAT50×SLN5/16"-4.00"	8.00	4.00	0.781		5/16	0.875	5/16-18	
A342710	CAT50-SLN7/16"-4.00"	8.00	4.00	0.875		7/16	1.25	3/8-16	
A342810	CAT50-SLN9/16"-4.00"	8.00	4.00	0.880		9/16	1.38	7/16-14	
A342910	CAT50-SLN3/8"-2.50"	6.50	2.50	0.781		3/8	1	3/8-16	
A342911	CAT50×SLN3/8"-4.00"	8.00	4.00	0.781		3/8	1	3/8-16	
A343010	CAT50-SLN1/2"-2.63"	6.63	2.63	0.875		1/2	1.38	7/16-14	
A343011	CAT50×SLN1/2"-4.00"	8.00	4.00	0.875		1/2	1.38	7/16-14	
A343012	CAT50-SLN1/2"-4.62"	8.62	4.62	0.875		1/2	1.38	7/16-14	
A343110	CAT50-SLN5/8"-3.00"	7.00	3.00	0.938		5/8	1.75	1/2-13	
A343111	CAT50-SLN5/8"-3.75"	7.75	3.75	0.938		5/8	1.75	1/2-13	
A343112	CAT50×SLN5/8"-4.00"	8.00	4.00	0.938		5/8	1.75	1/2-13	
A343210	CAT50-SLN3/4"-3.75"	7.75	3.75	1.000		3/4	1.75	5/8-11	
A343211	CAT50×SLN3/4"-4.00"	8.00	4.00	1		3/4	1.75	5/8-11	
A343310	CAT50-SLN7/8"-3.75"	7.75	3.75	1.063	0.875	7/8	2.047	5/8-11	
A343311	CAT50×SLN7/8"-4.00"	8.00	4.00	1.063		7/8	2.047	5/8-11	
A343410	CAT50×SLN1"-4.00"	8.00	4.00	1.125	1	1	2.375	3/4-10	
A343510	CAT50-SLN1-1/4"-4.00"	8.00	4.00	1.125		1-1/4	2.75	3/4-10	
A343511	CAT50×SLN1-1/4"-4.60"	8.60	4.60	1.125		1-1/4	2.75	3/4-10	
A343610	CAT50-SLN1-1/2"-4.00"	8.00	4.00	1.125		1-1/2	3.14	3/4-10	
A343611	CAT50-SLN1-1/2"-4.25"	8.25	4.25	1.125		1-1/2	3.14	3/4-10	
A343612	CAT50×SLN1-1/2"-4.60"	8.60	4.60	1.125		1-1/2	3.140	3/4-10	
A343710	CAT50-SLN1-3/4"-4.00"	8.00	4.00	1.125	1.438	1-3/4	3.14	3/4-10	
A343810	CAT50-SLN2"-5.63"	9.63	5.63	1.188		2	3.938	3/4-10	
A343811	CAT50×SLN2"-6.00"	10.00	6.00	1.188		2	3.938	3/4-10	






NMTB/SLN 侧固式刀杆

▼ A351010-A354210 订单号 Order NO.

NMTB/SLN END MILL HOLDER

▼ 可选配 OPTIONAL



Unit:in

Order NO.	TYPE	L	L1	L2	L3	d1	T	Price
A351010	NMTB30-SLN3/16-0.69	4.437	1.75	0.44	—	0.1875	3/16-24	
A351110	NMTB30-SLN1/4-0.69	5.187	2.5	0.56		0.25	1/4-20	
A351210	NMTB30-SLN5/16-1.00	5.187	2.5	0.75		0.3125	5/16-18	
A351310	NMTB30-SLN3/8-1.00	4.437	1.75	0.75		0.375	3/8-16	
A351410	NMTB30-SLN1/2-1.38	5.107	2.42	0.88		0.5	7/16-14	
A351510	NMTB30-SLN5/8-1.81	5.107	2.42	0.94		0.625	1/2-13	
A351610	NMTB30-SLN3/4-1.75	4.807	2.12	1		0.75	5/8-11	
A351710	NMTB30-SLN7/8-2.00	5.187	2.5	1		0.875	5/8-11	
A351810	NMTB30-SLN1-2.25	5.377	2.69	1.12		1	3/4-10	
A351910	NMTB40-SLN3/16-0.69	5.997	2.31	0.44	—	0.1875	3/16-24	
A352010	NMTB40-SLN1/4-0.69	6.187	2.5	0.56		0.25	1/4-20	
A352110	NMTB40-SLN5/16-1.00	6.187	2.5	0.75		0.3125	5/16-18	
A352210	NMTB40-SLN3/8-1.00	5.997	2.31	0.75		0.375	3/8-16	
A352310	NMTB40-SLN1/2-1.38	5.997	2.31	0.88		0.5	7/16-14	
A352410	NMTB40-SLN5/8-1.62	5.997	2.31	0.94		0.625	1/2-13	
A352510	NMTB40-SLN3/4-1.88	5.997	2.31	1		0.75	5/8-11	
A352610	NMTB40-SLN7/8-2.00	6.377	2.69	1		0.875	5/8-11	
A352810	NMTB40-SLN1-2.00	6.377	2.69	1		1	3/4-10	
A352910	NMTB40-SLN11/4-2.38	6.377	2.69	1.25		1.25	3/4-10	
A353010	NMTB40-SLN11/2-2.95	7.637	3.95	1.12	1	1.5	3/4-10	
A353110	NMTB50-SLN1/4-0.69	7.5	2.5	0.56	—	0.25	1/4-20	
A353210	NMTB50-SLN5/16-1.00	7.5	2.5	0.75		0.3125	5/16-18	
A353310	NMTB50-SLN3/8-1.00	7.75	2.75	0.75		0.375	3/8-16	
A353410	NMTB50-SLN1/2-1.38	7.75	2.75	0.88		0.5	7/16-14	
A353510	NMTB50-SLN5/8-1.62	7.75	2.75	0.94		0.625	1/2-13	
A353610	NMTB50-SLN3/4-1.75	7.75	2.75	1		0.75	5/8-11	
A353710	NMTB50-SLN7/8-2.00	8.12	3.12	1	0.81	0.875	5/8-11	
A353810	NMTB50-SLN1-2.38	8.5	3.5	1.12	1	1	3/4-10	
A353910	NMTB50-SLN1-1/4-2.62	8.5	3.5	1.12	1	1.25	3/4-10	
A354010	NMTB50-SLN1-1/2-2.88	9	4	1.5	1	1.5	3/4-10	
A354110	NMTB50-SLN2-3.75	9.5	4.5	1.38	1.12	2	1-14x7/8	
A354210	NMTB50-SLN21/2-4.50	10	5	1.56	1.69	2.5	1-14x7/8	





SK/SLN侧固式铣刀杆

▼A361010-A363210 订单号Order NO.

SK/SLN END MILL HOLDER(DIN 69871)




Type:A



Type:B

▼可选配 OPTIONAL



Order NO.	Type	L	L1	L2	L3	d1	d2	T	N.W. (kg)	Price
A361010	SK30×SLN6-50	97.8	50	18	-	6	25	M6×1.0P	0.73	
A361110	SK30×SLN8-50	97.8	50	18	-	8	28	M8×1.25P	0.80	
A361210	SK30×SLN10-50	97.8	50	20	-	10	35	M10×1.5P	0.90	
A361310	SK30×SLN12-50	97.8	50	22.5	-	12	42	M12×1.75P	0.90	
A361410	SK30×SLN16-63	110.8	63	24	-	16	48	M14×2.0P	1.10	
A361510	SK40×SLN6-50	118.4	50	18	-	6	25	M6×1.0P	0.85	
A361610	SK40×SLN8-50	118.4	50	18	-	8	28	M8×1.25P	1.00	
A361710	SK40×SLN10-50	118.4	50	20	-	10	35	M10×1.5P	1.10	
A361810	SK40×SLN12-50	118.4	50	22.5	-	12	42	M10×1.75P	1.15	
A361910	SK40×SLN16-63	131.4	63	24	-	16	48	M14×2.0P	1.40	
A362010	SK40×SLN20-63	131.4	63	25	-	20	52	M16×2.0P	1.30	
A362110	SK40×SLN25-100	168.4	100	24	25	25	65	M18×2.0P	2.40	
A362210	SK40×SLN32-100	168.4	100	24	28	32	72	M20×2.0P	2.70	
A362310	SK50×SLN6-63	164.75	63	18	-	6	25	M6×1.0P	3.10	
A362410	SK50×SLN8-63	164.75	63	18	-	8	28	M8×1.25P	3.10	
A362510	SK50×SLN10-63	164.75	63	20	-	10	35	M10×1.5P	3.30	
A362610	SK50×SLN12-63	164.75	63	22.5	-	12	42	M12×1.75P	3.50	
A362710	SK50×SLN16-63	164.75	63	24	-	16	48	M14×2.0P	3.45	
A362810	SK50×SLN20-63	164.75	63	25	-	20	52	M16×2.0P	3.50	
A362910	SK50×SLN25-80	181.75	80	24	25	25	65	M18×2.0P	4.20	
A363010	SK50×SLN32-100	201.75	100	24	25	32	72	M20×2.0P	5.00	
A363110	SK50×SLN40-100	201.75	100	30	32	40	90	M20×2.0P	5.60	
A363210	SK50×SLN42-100	201.75	100	30	32	40	90	M20×2.0P	5.70	





SK/SLN侧固式铣刀杆

▼A361010-A363210 订单号Order NO.

SK/SLN END MILL HOLDER(DIN 69871)




Type:A



Type:B

▼可选配 OPTIONAL



Order NO.	Type	L	L1	L2	L3	d1	d2	T	N. W. (kg)	Price
A361010	SK30×SLN6-50	97.8	50	18	—	6	25	M6×1.0P	0.73	
A361110	SK30×SLN8-50	97.8	50	18	—	8	28	M8×1.25P	0.80	
A361210	SK30×SLN10-50	97.8	50	20	—	10	35	M10×1.5P	0.90	
A361310	SK30×SLN12-50	97.8	50	22.5	—	12	42	M12×1.75P	0.90	
A361410	SK30×SLN16-63	110.8	63	24	—	16	48	M14×2.0P	1.10	
A361510	SK40×SLN6-50	118.4	50	18	—	6	25	M6×1.0P	0.85	
A361510J	SK40×SLN6-100	168.4	100	24	—	6	23	M6×1.0P		
A361610	SK40×SLN8-50	118.4	50	18	—	8	28	M8×1.25P	1.00	
A361610J	SK40×SLN8-100	168.4	100	24	—	8	30	M8×1.25P		
A361710	SK40×SLN10-50	118.4	50	20	—	10	35	M10×1.5P	1.10	
A361710J	SK40×SLN10-63	118.4	63	20	—	10	34	M10×1.5P		
A361711J	SK40×SLN10-100	168.4	100	24	—	10	37	M10×1.5P		
A361810	SK40×SLN12-50	118.4	50	22.5	—	12	42	M10×1.75P	1.15	
A361810J	SK40×SLN12-63	118.4	63	22.5	—	12	41	M12×1.75P		
A361811J	SK40×SLN12-100	168.4	100	24	—	12	44	M12×1.75P		
A361910	SK40×SLN16-63	131.4	63	24	—	16	48	M14×2.0P	1.40	
A361910J	SK40×SLN16-100	168.4	100	24	—	16	51	M14×2.0P		
A362010	SK40×SLN20-63	131.4	63	25	—	20	52	M16×2.0P	1.30	
A362010J	SK40×SLN20-100	168.4	100	24	—	20	58	M16×2.0P		
A362110	SK40×SLN25-100	168.4	100	24	25	25	65	M18×2.0P	2.40	
A362110J	SK40×SLN25-160	228.4	160	24	—	25		M18×2.0P		
A362210	SK40×SLN32-100	168.4	100	24	28	32	72	M20×2.0P	2.70	
A362310	SK50×SLN6-63	164.75	63	18	—	6	25	M6×1.0P	3.10	
A362410	SK50×SLN8-63	164.75	63	18	—	8	28	M8×1.25P	3.10	
A362510	SK50×SLN10-63	164.75	63	20	—	10	35	M10×1.5P	3.30	
A362610	SK50×SLN12-63	164.75	63	22.5	—	12	42	M12×1.75P	3.50	
A362710	SK50×SLN16-63	164.75	63	24	—	16	48	M14×2.0P	3.45	
A362810	SK50×SLN20-63	164.75	63	25	—	20	52	M16×2.0P	3.50	
A362810J	SK50×SLN20-100	201.75	100	25	—	20	52	M16×2.0P		
A362910	SK50×SLN25-80	181.75	80	24	25	25	65	M18×2.0P	4.20	
A36291J	SK50×SLN25-100	201.75	100	24	25	25	65	M18×2.0P		
A363010	SK50×SLN32-100	201.75	100	24	25	32	72	M20×2.0P	5.00	
A363110	SK50×SLN40-100	201.75	100	30	32	40	90	M20×2.0P	5.60	
A363210	SK50×SLN42-100	201.75	100	30	32	40	90	M20×2.0P	5.70	





SK/SLN侧固式刀柄-出水结构

▼可选配 OPTIONAL




▼A37010-A372910 订单号 Order NO.


SK/SLN END MILL HOLDER WITH COOLANT



Type:A



Type:B



FORM AD/B




FIG.1




FIG.2




FIG.3

Order NO.	Type	Φd1	ΦD	L1	FIG	Price
A371010	SK40-SLN06-50(B)	06	25	50	2	
A371110	SK40-SLN08-50(B)	08	28	50	2	
A371210	SK40-SLN10-63(B)	10	35	63	2	
A371310	SK40-SLN12-63(B)	12	42	63	2	
A371410	SK40-SLN14-63(B)	14	44	63	2	
A371510	SK40-SLN16-63(B)	16	48	63	2	
A371610	SK40-SLN18-63(B)	18	50	63	2	
A371710	SK40-SLN20-63(B)	20	52	63	1	
A371810	SK40-SLN25-90(B)	25	65	90	1	
A371910	SK40-SLN32-100(B)	32	72	100	3	
A372010	SK50-SLN06-50(B)	6	25	50	2	
A372110	SK50-SLN08-50(B)	8	28	50	2	
A372210	SK50-SLN10-63(B)	10	35	63	2	
A372310	SK50-SLN12-63(B)	12	42	63	2	
A372410	SK50-SLN14-63(B)	14	44	63	2	
A372510	SK50-SLN16-63(B)	16	48	63	2	
A372610	SK50-SLN18-63(B)	18	50	63	2	
A372710	SK50-SLN20-63(B)	20	52	63	2	
A372810	SK50-SLN25-90(B)	25	65	90	3	
A372910	SK50-SLN32-105(B)	32	72	105	3	








NT/SLN侧固式铣刀杆

▼A381010-A382310 订单号Order NO.

NT/SLN END MILL HOLDER(DIN 2080)

▼可选配 OPTIONAL



Order NO.	Type	$\Phi d1$	ΦD	L1	FIG	Price
A381010	NT40-SLN06-50	06	25	50	1	
A381110	NT40-SLN08-50	08	28	50	1	
A381210	NT40-SLN10-63	10	35	63	1	
A381310	NT40-SLN12-63	12	42	63	1	
A381410	NT40-SLN16-63	16	48	63	1	
A381510	NT40-SLN20-63	20	52	63	1	
A381610	NT50-SLN06-63	06	25	50	1	
A381710	NT50-SLN08-63	08	28	50	1	
A381810	NT50-SLN10-63	10	35	63	1	
A381910	NT50-SLN12-63	12	42	63	1	
A382010	NT50-SLN16-63	16	48	63	1	
A382110	NT50-SLN20-63	20	52	63	1	
A382210	NT50-SLN25-80	25	65	90	2	
A382310	NT50-SLN32-80	32	72	105	2	






R8/SLN侧固式刀柄

▼A391010-A391910 订单号Order NO.

R8/SLN END MILL HOLDER



▼可选配 OPTIONAL




Order NO.	Type	d	D	Price
A391010	R8-EM3/16"	3/16"	1.375"	
A391110	R8-EM1/4"	1/4"	1"	
A391210	R8-EM3/8"	1"	1.535"	
A391310	R8-EM1/2"	1/2"	1.75"	
A391410	R8-EM5/8"	5/8"	1.75"	
A391510	R8-EM3/4"	3/4"	1.75"	
A391610	R8-EM7/8"	1"	2.05"	
A391710	R8-EM1"	1"	2.56"	
A391810	R8-EM1-1/4"	1-1/4"	2.56"	
A391910	R8-EM1-1/2"	1-1/2"	3.14"	


HSK/SLN侧固式刀柄

▼A401010-A403010 订单号Order NO.

HSK/SLN END MILL HOLDER



- 专利设计，锁紧力大，稳定性高，夹持范围更广，适用于各种柄



Order NO.	Type	d	D	L1	L2	L3	Price
A401010	HSK63A-SLN06-65	6	25	65	18	—	
A401110	HSK63A-SLN08-65	8	28	65	18	—	
A401210	HSK63A-SLN10-65	10	35	65	20	—	
A401310	HSK63A-SLN12-80	12	42	80	22.5	—	
A401410	HSK63A-SLN14-80	14	44	80	22.5	=	
A401510	HSK63A-SLN16-80	16	48	80	24	—	
A401610	HSK63A-SLN18-80	18	50	80	24	—	
A401710	HSK63A-SLN20-80	20	52	80	25	—	
A401810	HSK63A-SLN25-110	25	65	110	24	25	
A401910	HSK63A-SLN32-110	32	72	110	24	28	
A401911	HSK63A-SLN32-160	32	72	160	24	28	
A402010	HSK63A-SLN40-125	40	80	125	30	32	
A402110	HSK100A-SLN06-80	6	25	80	18	—	
A402210	HSK100A-SLN08-80	8	28	80	18	—	
A402310	HSK100A-SLN10-80	10	35	80	20	—	
A402410	HSK100A-SLN12-80	12	42	80	22.5	—	
A402510	HSK100A-SLN14-80	14	44	80	22.5	—	
A402610	HSK100A-SLN16-100	16	48	100	24	—	
A402710	HSK100A-SLN20-100	20	52	100	25	—	
A402810	HSK100A-SLN25-110	25	65	110	24	25	
A402910	HSK100A-SLN32-110	32	72	110	24	28	
A403010	HSK100A-SLN40-120	40	80	120	30	32	








MT/SLN侧固式刀柄

▼AM391010-AM391026 订单号 Order NO.

MT/SLN END MILL HOLDER

▼可选配 OPTIONAL



Order NO.	Type	L	L2	L5		L7	D	d	G	T	FIG	N. W. kg	Price
AM391010	MTA3-SLN20-80L	179	99	25	20	70	53	20	23.825	M12*1.75P	2		
AM391011	MTA3-SLN25-95L	194	99	24	25	80	53	25	23.825	M12*1.75P	2		
AM391012	MTA3-SLN32-95L	194	99	24	28	85	53	32	23.825	M16*2.0P	2		
AM391013	MTA4-SLN20-65L	189	124	25	20	70	53	20	31.267	M12*1.75P	2		
AM391014	MTA4-SLN25-95L	219	124	24	25	80	53	25	31.267	M12*1.75P	2		
AM391015	MTA4-SLN32-95L	219	124	24	28	85	53	32	31.267	M16*2.0P	2		
AM391016	MTA4-SLN40-115L	239	124	30	32	100	68	40	31.267	M20*2.5P	2		
AM391017	MTA5-SLN20-65L	221	156	25	20	70	53	20	44.399	M12*1.75P	1		
AM391018	MTA5-SLN25-65L	221	156	24	25	80	53	25	44.399	M12*1.75P	1		
AM391019	MTA5-SLN32-70L	226	156	24	28	85	53	32	44.399	M16*2.0P	1		
AM391020	MTA5-SLN40-115L	271	156	30	32	100	68	40	44.399	M20*2.5P	1		
AM391021	MTA6-SLN25-65L	283	218	24	25	80	60	25	63.348	M12*1.75P	1		
AM391022	MTA6-SLN32-70L	288	218	24	28	85	60	32	63.348	M16*2.0P	1		
AM391023	MTA6-SLN40-80L	298	218	30	32	100	68	40	63.348	M20*2.5P	1		
AM391024	公制80 - SLN32-70L	298	228	24	28	85	65	32	80.00	M16*2.0P	1		
AM391025	公制 80 - SLN40-80L	308	228	30	32	100	83	40	80.00	M20*2.5P	1		
AM391026	公制 80 - SLN50-85L	313	228	35	35	105	83	50	80.00	M20*2.5P	1		